


BRIGHTBOX PREMIUM

Illuminated Displays | Light Boxes & Illuminated Totems



BRIGHTBOX PREMIUM


- Internal electric connectors in the frame for easy installation without cables
- Stable 100 mm frame
- Linkable magnetic sides to connect multiple Brightboxes together

BRIGHTBOX PREMIUM

- Interne elektrische Anschlüsse im Rahmen für eine einfache kabellose Installation
- Stabiler 100 mm Rahmen
- Verknüpfbare Magnet-Seiten um mehrere Brightboxes miteinander zu verbinden

BRIGHTBOX PREMIUM

Illuminated Displays | Light Boxes & Illuminated Totems



BRIGHTBOX PREMIUM

Illuminated Displays | Light Boxes & Illuminated Totems



EAN / GTIN	Graphics size	Size (A x B x C)	Net weight	Consumption
EAN / GTIN	Grafikformat	Größe (A x B x C)	Netto Gewicht	Leistung
8596052122507	1000 x 2000 mm	1000 x 2020 x 400 mm	8,30 kg	89,6 W
8596052122514	1000 x 2500 mm	1000 x 2520 x 400 mm	9,00 kg	89,6 W

Packing size	Packing weight	Pcs / Pallet	Weight of pallet	Volumetric weight	UPS ratio (Belt size)	Shipping
Verpackungs- größe	Versand- gewicht	Stck / Palette	Paletten- gewicht	Volumen- gewicht	UPS Koeffizient (Gurtmaß)	Versandart
435 x 1120 x 135 mm	9,30 kg	22	225 kg	13,15 kg	2260 mm	UPS
435 x 1320 x 135 mm	10,00 kg	12	140 kg	15,50 kg	2460 mm	UPS